



TE100-PCBUSR (v2.0R)

10/100Mbps CardBus PC Card

TE100-PCBUSR gears with leading 32-bit bus architecture and full-duplex capabilities, which liberates high-speed network performance by providing a smooth connection to both 10/100Mbps Ethernet environments. This card is the ultimate solution for the CardBus equipped addition. Its auto-negotiation feature also configures to meet any kind of network card. It also guarantees easy installation and extra low power consumption with power-down mode and broad compatibility.

Features

- PCMCIA CardBus 68-pin connector Type II Card
- 32-Bit Bus-mastering data transfer
- 10/100Mbps Data rate auto-negotiation operation
- Built-in transmit 4Kbytes RAM Data Buffers
- Supports full-Duplex mode doubles network data rate to 20/200Mbps
- Integrated RJ-45 XpressPort for dongle/coupler-free connection
- Supports Windows 98SE/ME/2000/XP/Vista
- Ultra low power consumption
- Single shielded RJ-45 connector & UTP/STP cabling supported
- Compatible with extensive notebook models
- Supports Hot Swap and Plug & Play
- 5-Years warranty

Specifications


Hardware	
Standards	IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet ANSI/IEEE 802.3 Auto-Negotiation PCMCIA 2.x 32-Bit CardBus
Network Media	Ethernet: UTP Cat. 3, 4, 5, EIA/TIA-568 100-ohm STP Fast Ethernet: UTP Cat. 5, EIA/TIA-568 100-ohm STP
Data Rate	Ethernet: 10Mbps/20Mbps (Half/Full-Duplex) Fast Ethernet: 100Mbps/200Mbps (Half/Full-Duplex)
Protocol	CSMA/CD
Interface	32-Bit CardBus Type II
Dimension	120 x 53 x 3mm (4.7 x 2 x 0.1 inches)
Power Consumption	3.3V DC
Diagnostic LED	10M Link/Activity 100M Link/Activity
Supported Drivers	Windows 98SE/ME/NT4.0/2000/XP Novell NetWare Server 3.21, 4.1x, 5.0 Novell Netware ODI for DOS / ODI Client 32 Packet Driver, NDIS 2.0
Temperature	Operating: 0° ~ 40° C (32° ~ 104° F) Storage: -10° ~ 70° C (14° ~ 158° F)
Humidity	Operating: 10%~90% (Non-Condensing) Storage: 5%~90% (Non-Condensing)
Safety Emissions	FCC, CE

TE100-PCBUSR

10/100Mbps CardBus PC Card

TOP REASONS THE TE100-PCBUSR IS A LASTING TREND

User Friendly	Just plug the card into your workstation and it's ready to go!
Flexibility	Supports all major Network Operating Systems
Compatibility	Compatible with extensive notebook computers
Low Cost	Integrated Xpress Port reduces user down time and eliminates dongle/jack replacement



Network Solution for TE100-PCBUSRv2.0

Package Contents

- TE100-PCBUSR
- Multi-Language Quick Installation Guide
- Driver Floppy

Related Products

- TEG-PCBUSR
- TE100-PCIWN

To order please call: 888-326-6061
3135 Kashiwa Street • Torrance, CA 90505 • (310) 891-1100 • Fax: (310) 891-1111
Sales: sales@trendware.com • Support: techsupport@trendware.com
Tech Support Hotline: (310)626-6252
Official Site: www.TRENDNET.com